Zip HydroTap for the workplace

PURE-TASTING | INSTANT | BOILING | CHILLED | SPARKLING









Water at its best











HydroTap Design range Arc Plus 37 Arc Plus with Mixer 38 Cube Plus 39 Cube Plus with Mixer 40

41

42

Elite Plus

Elite Plus with Mixer



HydroTap Celsius range Celsius All-In-One Celsius Arc

Micro




Technical data Consumables Classic Plus 47 Touch-Free Wave 49 51 Classic 53 Industrial 53 Micro UltraCare 53 Arc Plus 54 55 Cube Plus Elite Plus 56 Celsius All-In-One 58 Celsius Arc 58

60

Technical

information





| and accessories | |
|---|----|
| Accessories | 6 |
| Installation accessories | 6. |
| HydroTap filters and CO ₂ | 62 |





Featured product HydroTap Classic Plus in Chrome finish

75 years of innovation

As we mark our 75th anniversary, we are thrilled to share with you our latest technology. With unrivalled expertise in instant filtered boiling, chilled and sparkling water, Zip Water is known globally for being home to the Zip HydroTap, which dispenses pure-tasting water at the touch of a button.

Founded in Australia in 1947, we've always been innovators, advancing and perfecting our drinking water technology for decades. Today, we're proud to provide workplaces, in over 70 countries across the world with the purest tasting water possible from our range of Zip HydroTaps.

Access the latest water filtration technology for pure-tasting water. Convenience at the touch of a button for instant boiled, chilled and sparkling water. Stylish designs and finishes to suit any kitchen and declutter bench space for efficiency.

Start drinking more, saving time, saving energy and seeing the benefits to your family's wellbeing from your very first glass.

Welcome to the Zip HydroTap family. We thank you for your support as we embark on another 75 years of delivering water at its best.

John Doumani, President Zip Industries





Experience water at its best with Zip HydroTap

Convenience of instant pure-tasting water at the touch of a button

Enjoy pure-tasting boiling, chilled and sparkling water flowing from the simplest of touches with the Zip HydroTap G5. With sleek design and slick function powered by our most advanced technology, the HydroTap G5 has more personalised settings and features antimicrobial protection for enhanced hygiene. It's not just water, it's water at its best.













UNFILTERED



Powered by our latest G5 technology

Zip HydroTap's superior filtration and compact, efficient design makes it the perfect water solution for any workspace.

Remove kettles from your benchtops. Eliminate refrigerated bottles of still and sparkling water. Save space, energy and money. Forget deliveries and storage of water cooler bottles.

The Zip HydroTap is a convenient and practical way to offer your staff, customers and visitors fresh, pure-tasting water – instantly and safely.

 $_{3}$

Experience water at its best with HydroTap in the workplace

Pure-tasting boiling, chilled and sparkling water in an instant, delivered seamlessly with a Zip HydroTap. There is a HydroTap to suit any workplace.

For the office workplace

Workplace productivity and wellbeing is vital to every team environment. Zip HydroTap meets all your workplace water needs, in one elegant, easy-to-use system, using the latest technology to keep up with a busy workplace.



For touch-free workplaces

With an increased consideration around hygiene in the workplace, Zip HydroTap Touch-Free Wave provides a 100% touch-free solution to instantly dispense pure-tasting drinking water with a simple wave of a hand.



For the small workplace

Award winning Zip Micro is our smallest ever drinking water system, designed to fit under almost any bench and keeps up to 10 people hydrated – the perfect solution for smaller offices.



*ALS Pty Ltd Testing of the Zip HydroTap UltraCare system efficacy tests

For health and aged care facilities

For health and aged care facilities, HydroTap UltraCare is proven to deliver a 99.9% reduction in Legionella*.





Zip HydroTap certified installation

For professional results, let Zip Water take care of the installation. Our skilled service technicians will install and set up your HydroTap so you can start enjoying instant pure-tasting water as soon as possible.

Experienced & certified installers

As certified installation specialists, we will install your new HydroTap including stone cutting for tap and/or font installations*.

Full national coverage

With more than 100 Zip certified technicians and 350 authorised service providers across the country, Zip Water can ensure coverage for your installation and service needs.

Experts in residential installation

Access our certified installation team, experienced in navigating around residential kitchens and equipped with all necessary tools to complete your HydroTap installation*.

Product demonstration

Zip HydroTap certified installation includes a product demonstration to show how to get the most out of your new HydroTap system and answer any questions you may have.

High customer satisfaction

We strive to deliver exceptional customer service and take pride in our customer satisfaction. 80% of our customers have rated our Zip Water service technicians 9 or 10/10 demonstrating our commitment to you, our customers.

Arrange a Zip HydroTap certified installation



Add installation to your order when visiting your nearest retailer



Purchase directly at zipwater.com/hydrotap-installation







*Installation service is available in Australian metro areas only where suitable power and water are available within 1 metre of the installation location. Installation must be within 70 kilometres of metro areas. Includes stone cutting for tap and/or font installation but excludes cutting of fixtures or major plumbing modifications. *Zip Water Service Net Promoter Survey, Feb 21-Feb 22.

Say hello to Classic Plus & Elite Plus

Enjoy pure-tasting boiling, chilled and sparkling water instantly with Zip HydroTap, powered by our most advanced G5 technology.

Sleek design meets slick function

With simple, intuitive controls including continuous flow to fill bottles and coming in seven ultra-modern finishes, HydroTap Classic Plus and Elite Plus will add designer style to any kitchen.

Smarter and more personalised

Create your preferred settings with a few touches using the optimised new menu in the HydroTap G5 command centre. Select energy modes and usage settings for easier customisation.

Setting the hygiene standard

Zip HydroTap G5 has antimicrobial protection impregnated within key water surfaces as well as on the new touch-pad for enhanced hygiene.







Classic Plus

Elite Plus



Classic Plus - 2021 Accolade Winner

in the Product Design Domestic Appliances category in recognition for outstanding design and innovation.





The evolution of Arc Plus and Cube Plus

Elevate any kitchen with HydroTap Arc Plus and Cube Plus, our latest addition to the Zip HydroTap range.

Sophisticated elegance

HydroTap Arc Plus and Cube Plus will add a stylish finish to all kitchens with its designer silhouette, balancing the on-trend tap styles with our G5 technology to deliver boiling, chilled and sparking water on demand.

Instant refreshments

Enjoy access to perfect refreshments with pure-tasting water at the press of a button. HydroTap Arc Plus and Cube Plus offers enhanced sparkling & chilled water delivery with the optimised aerator hidden inside the elegant spout of the tap.



Available in 7 ultra-modern finishes to suit any designer kitchen.



8



Create a safer workplace with HydroTap Touch-Free Wave



Introducing Zip HydroTap Touch-Free Wave, with smart infrared sensors that activate boiling, chilled and sparkling water.

With an increased consideration around hygiene in the workplace, new Zip HydroTap Touch-Free Wave provides a 100% touch-free solution to instantly dispense pure-tasting drinking water with a simple wave of a hand.

How it works

Available in Chrome and Matte Black

- Infrared smart sensors detect hand movements within 1.5 5cm in range of the tap
- Once the hand moves away, the water flow will stop
- All drinking water types will have a maximum run time of 15 seconds which is adjustable from the command centre
- · Continuous flow to fill bottles with twin sensor activation

Safety features

• Twin sensor activation for safe delivery of boiling water



• Dispensing will deactivate when the tap is touched or grabbed, allowing for safe cleaning



Wave right for chilled



Wave above for sparkling



Twin sensor activation for boiling





 $Patent \ pending-Zip\ Hydro Tap\ Touch-Free\ Wave\ sensor\ activation.\ Hydro Tap\ Touch-Free\ Wave\ in\ Matte\ Black\ features\ a\ two\ tone\ finish,\ with\ a\ matte\ black\ tap\ body\ and\ chrome\ sensor\ head the pending\ features\ a\ two\ tone\ finish,\ with\ a\ matte\ black\ tap\ body\ and\ chrome\ sensor\ head\ features\ a\ two\ tone\ finish\ with\ a\ matte\ black\ tap\ body\ and\ chrome\ sensor\ head\ features\ a\ two\ tone\ finish\ with\ a\ matte\ black\ tap\ body\ and\ chrome\ sensor\ head\ features\ a\ two\ tone\ finish\ with\ a\ matte\ black\ tap\ body\ and\ chrome\ sensor\ head\ features\ a\ two\ tone\ finish\ tap\ body\ and\ chrome\ sensor\ head\ features\ a\ two\ tone\ finish\ tap\ body\ and\ chrome\ sensor\ head\ features\ a\ two\ tone\ finish\ tap\ body\ and\ chrome\ sensor\ head\ features\ a\ two\ tone\ finish\ tap\ features\ a\ two\ tone\ finish\ tap\ features\ a\ two\ tone\ finish\ tap\ features\ tap\$

Zip°

Zip Micro, our smallest ever drinking water system



Zip Micro is 37% narrower, perfect for small kitchens for up to 10 people, delivering perfectly **boiling** and **chilled** water at your fingertips.





Designed with space in mind

Our smallest underbench system footprint is 37%* narrower.



Optimised for up to 10 people

Keep up to 10 people hydrated with boiling only or boiling + chilled filtered water options.



Easy to use

The Zip Micro tap design comes with an integrated safety lock and uses an intuitive twist activation with auto and manual fill options. The underbench system comes with pre-configured settings and modes.



Micro-filtration for pure tasting water

Zip Micro uses the latest filtration technology for pure-tasting water. Zip filters are certified to reduce bacteria, sediment, odours to NSF 42 (aesthetic effects) and NSF 53 (health effects).



2020 Gold Accolade Winner

in the Product Design Domestic Appliances category in recognition for outstanding design and innovation.

Zip Micro is displayed with an optional font kit sold separately (includes 100mm extension and matching stand alone font). $^{*37\%}$ narrower than HydroTap BC20 underbench command centre


The Zip HydroTap UltraCare system is proven to deliver 99.9% reduction in Legionella*

Zip HydroTap UltraCare uses a combination of localised treatments and barriers that are proven as the most effective method of reducing waterborne organisms and pathogens including Legionella**.

The barriers provided in the UltraCare system are:

- MicroPurity™ 0.2-micron carbon-free filtration
- Antimicrobial enhanced surfaces
- MicroPurity™ UV-C LED disinfection
- Lifecycle maintenance plan
- Zip HydroCare Gold+





^{*}ALS Pty Ltd Testing of the Zip HydroTap UltraCare system efficacy tests.

^{**}enHealth 2015 Guidelines for Legionella control in the operation and maintenance of water distribution systems in health and aged care facilities, Australian Government, Canberra.





HydroTap, powered by new G5 technology

Leading the way in performance and functionality, Zip's fifth generation G5 technology continues to deliver the convenience you would expect from a HydroTap.

Perfected over 70 years of development and innovation, HydroTap G5 transforms tap water into a form you will love, in an instant.

The G5 command centre is WaterMark approved, which means it is fit for purpose and appropriately authorised for use in plumbing and drainage installations.

HydroTap product warranty

Zip HydroTap G5 is backed by a 36 month comprehensive parts and labour warranty, plus a further 24 months on internal tanks.









PowerPulse technology



Unique safety features



Air-cooled system



Auto-diagnostics



MicroPurity™ filtration



Smart Customisation



Antimicrobial protection



Touch-Free Technology



CO₂ level indicator





Pure-tasting filtered water with Zip MicroPurity filtration

At Zip Water, we put water quality at the heart of our offering, with perfectly filtered boiling, chilled and sparkling water instantly.

Our mission is to help our customers to enjoy pure-tasting water, on tap, all the time, and that is why only the best tasting water will do.

Crystal clear pure-tasting water **MICRO**PURITYTM

FILTRATION

SAFELY FILTERS DOWN TO 0.2 MICRON

Advanced filtration in every HydroTap system

Zip MicroPurity uses the latest filtration technology to filter and reduce impurities and potentially harmful contaminants larger than 0.2 microns in size – an impurity that will fit 250 times into a strand of hair.

Easy to maintain

We recommend regular filter changes to ensure you continue to enjoy pure-tasting water. Our MicroPurity filters are easy to change with a hygienic cartridge and our qualified service technicians can also perform filter changes for your convenience.

Trust Zip genuine filters

Every Zip HydroTap system comes fitted with a geniune MicroPurity filter, certified to reduce contaminants.




Zip MicroPurity filters are certified to reduce chlorine, taste, odour, bacteria, sediment and limescale in line with NSF 42 (aesthetic effects) and WaterMark requirements.

Zip MicroPurity filtration is also certified to deliver a reduction of 99.9% of cysts including cryptosporidium and giardia, and lead reduction of 98.9% to NSF 53 (health effects).







Water for a healthier workplace

Workplace wellness and wellbeing is vital to your team remaining engaged and productive. Water plays a significant role in the function of the brain, so ensuring your staff have access to fresh, healthy water is essential.

Zip Water research shows that 80% of Zip HydroTap owners drink more water than before*. Drinking more water offers a range of benefits, such as better concentration and less fatigue. Plus, the increased activity from getting up and moving around increases circulation, encourages the elimination of waste and toxins, and reduces the damaging effects of long periods of inactivity.

Zip HydroTap meets all your workplace water solution needs, in one elegant, easy to use system.

*Research carried out to 340 existing Zip HydroTap customers

drink more water



The widest range of designs and finishes



Popular finish options

Whether you opt for a classic Chrome or stylish Matte Black, our range of timeless popular finishes has been designed to sit seamlessly in a wide range of kitchen designs, from contemporary to traditional.









Platinum finish options

Taking the HydroTap from a kitchen appliance you can't live without to a striking design accessory, our platinum finish options include stylish metallic finishes, each stunning in its own right.







GUNMETAL

Z11



^{*}Available in Chrome and Matte Black two tone finish.

^{**}Available only in popular finish options

^{***}Available only in Chrome and Matte Black finish options



Environmentally responsible

Independently verified Environmental **Product Declaration**


In another first for the world leaders in instant drinking water systems, Zip has released an internationally recognised and independently verified Environmental Product Declaration (EPD) for its HydroTap products. Developed with leading sustainability consulting company, **thinkstep***, it is the first EPD for an electrical product in Australasia, clearly demonstrating Zip's innovative and forward-thinking approach.

The HydroTap EPD details the environmental impact of the product throughout its life cycle, from the production and processing of raw materials, to manufacturing, distribution, installation, ongoing usage, maintenance and filter changing, right down to the end of the product's life.

Australians buy over 580 MILLION litres of bottled water a year.

Much of which ends up in **LANDFILL** and on our **BEACHES**#

The life of a Zip HydroTap



Responsible manufacturing

Organisational dedication to sustainability



ISO 14001

Innovative air-cooled technology Making HydroTap 100% water efficient

Smart energy saving modes



Time switch adheres to the Building Code of Australia



Low impact design

Complies with RoHS EU Directive 2002/95/EC





Eliminates the need for bottled water

Reducing your environmental impact



oceancrusaders.org/plastic-crusades/plastic-statistics/

Sustainable manufacturing

Zip Water products are Australian-made in Condell Park, New South Wales and exported to the rest of the world. Our manufacturing adheres to the highest standards of environmental responsibility and ensures the Zip HydroTap is manufactured sustainably.

ISO14001 is about much more than just designing an energy efficient product. It is complete organisational dedication to sustainable environmental management and ensures genuine commitment to a sound environment management system.

Zip Water is the only Australian manufacturer in our category to be accredited with all of the following internationally recognised standards:

ISO14001 -

Environmental Systems compliance and independently audited standards



ISO9001 -

Quality Management System



AS/NZS 4801 -Workplace Health and Safety

System








^{*}Thinkstep certified life cycle assessment and EPD verifiers - www.thinkstep-anz.com

Safe and accessible

All Zip products are designed to be completely safe and easy to use, with unique boiling water safety locks and cool touch technology. You can be confident that the end user can operate our systems safely, without needing to worry about spluttering steam.

For users with limited mobility or impaired vision, Zip HydroTap Classic is also available with accessible levers. The oversized levers incorporates braille into the colour coded red and blue options to indicate boiling or chilled drinking water.





Featured product

HydroTap Classic with oversized levers and braille covers



The Zip service difference



Our highly skilled network of mobile technicians and friendly customer service team are here to help keep your Zip products in top working order. Our expert technicians install HydroTaps across residential and commercial kitchens, and we can maintain any drinking water systems.

Full national coverage

With more than 100 Zip certified technicians and 270 authorised service providers across the country, fully trained and qualified support is never far away.

Fast and efficient

Every Zip service technician carries a range of spare parts, genuine filters and CO₂ cannisters to repair on first time attendance, which means you can get back to enjoying your fresh, filtered water in no time.

Professional repairs and maintenance

Zip certified technicians are highly skilled, specialised and factory trained with years of experience to ensure you receive efficient, reliable and prompt service and repairs.

HydroTap certified installation

Zip Water offers an installation service, with a national fleet of certified installers who can install your HydroTap in any kitchen.

Our certified installers will make sure your HydroTap is up and running in no time and includes stone cutting for tap and font installation.

Be informed with updates

Get up-to-date SMS notifications when your Zip service technician is on their way to your service call to save you time in your day.

High customer satisfaction



We aim to provide our customers with professional care at a high standard and take pride on our level of service.

HydroTap product warranty





Preventative maintenance plans

For ultimate peace of mind, Zip Water offers professional care of your system with a comprehensive range of HydroCare packages covering every maintenance requirement.

With everything you need to enjoy pure-tasting water, HydroCare ensures your HydroTap not only remains in perfect condition but operates at peak performance.





A history of drinking water innovation for over 75 years

Zip Water is a world-leading designer and manufacturer of instant boiling, chilled and sparkling filtered water solutions. Zip Water invests in Australian-based innovation design and world-class manufacturing to continually enhance water quality, functionality, energy efficiency and aesthetic appeal. Recognised as a global innovator, Zip Water's products are sought after and installed in over 75 countries worldwide, providing homes and workplaces with the purest-tasting, safest and cleanest water possible.



1947
Zip founded in Australia as a manufacturer of

sink & bath heaters



1975
ip introduces the world



1980
Miniboil On-Wall instant boiling water launches for



1984 Zip Miniboil wins Australian design



1988
Zip specified into Parliament House,



1991 Zip opens in the UK and soon wins a place in



1993

Zip upgrades technology for Hydroboil On-Wall instant boiling water



1996
Zip launches HydroTap underbench instant



2004 Zip HydroTap redesign wins Australian Design



2007

Zip launches advanced electronically controlled Hydroboil



2012

Zip launches world's first boiling, chilled and sparkling water on tap



2014
Zip launches G4,
the fourth generation
of HydroTap



2015
Zip launches
Design Range with three



2016
Zip introduces eight new platinum finishes



2017
Zip launches Celsius
All-In-One Arc



2018

Zip launches HydroChill high capacity sparkling systems



2019 Zip launches Micro, our smallest drinking



Zip launches HydroTap Touch-Free Wave, a 100% contactless solution




2021Zip launches HydroTap
G5, the fifth generation of
HydroTap and UltraCare



2022
Zip launches Arc Plus
and Cube Plus









Opposite Page - HydroTap Classic All-In-One in Chrome finish Top Right - HydroTap Classic Plus in Chrome finish Bottom Right - HydroTap Touch-Free Wave in Chrome finish

Touch-Free Wave

Featured product

HydroTap Touch-Free Wave in Chrome finish


For workplaces looking to reduce shared touchpoints. Zip HydroTap Touch-Free Wave provides a 100% touch-free solution to instantly dispense pure-tasting drinking water with a simple wave of a hand.



Available water options & finishes:

| FILTERED: BOILING CHILLED SPARKLING | FILTERED: BOILING CHILLED | FILTERED: CHILLED SPARKLING | FILTERED: CHILLED | FILTERED: BOILING AMBIENT | FILTERED: BOILING |
|--|---------------------------------|-----------------------------------|----------------------|---------------------------|----------------------|
| ₩#∷ | ₩ | * : | * | *** | "" |





HydroTap Touch-Free Wave can be installed over sink or optional font.

Touch-Free Wave with Mixer

Featured product

HydroTap Touch-Free Wave with Arc Mixer installed over sink in Matte Black finish

Designed for situations with only a cold water supply. Perfect for workplace kitchens that require a mixer tap and a Zip HydroTap in the same area as well as hot water to the sink.




Available water options & finishes:

| FILTERED: BOILING CHILLED SPARKLING | UNFILTERED: HOT & COLD | FILTERED: BOILING CHILLED | UNFILTERED: HOT & COLD |
|--|---------------------------|---------------------------|---------------------------|
| ₩ ₩:: | 30=00 | *** | 30-02 |







HydroTap Touch-Free Wave can be installed over sink or optional font

Classic Plus

HydroTap Classic Plus installed over sink in Chrome finish

Offering boiling, chilled and sparkling water in a modern design with intuitive controls.



Available water options & finishes:

| FILTERED: BOILING CHILLED SPARKLING | FILTERED: BOILING CHILLED | FILTERED: CHILLED SPARKLING | FILTERED: CHILLED | FILTERED: BOILING AMBIENT | FILTERED: BOILING |
|--|---------------------------------|-----------------------------------|----------------------|---------------------------------|----------------------|
| ₩:: | ₩ | * : | * | *** | "" |
















HydroTap Classic Plus can be installed over sink or optional font.

Classic Plus with Mixer

Featured product HydroTap Classic Plus with Arc Mixer installed over sink in Matte Black finish

Designed for situations with only a cold water supply. Perfect for workplace kitchens that require a mixer tap and a Zip HydroTap in the same area as well as hot water to the sink.



Available water options & finishes:



POPULAR









PLATINUM





HydroTap Classic Plus can be installed over sink or optional font

Classic

Featured product

HydroTap Classic installed with optional font in Chrome finish

Offering the choice of instant filtered boiling, chilled or sparkling water, or all three in any combination, the iconic design of the Classic HydroTap remains a much-loved and popular choice suited to any workplace.



Available water options & finishes:


| FILTERED: BOILING CHILLED SPARKLING | FILTERED: BOILING CHILLED | FILTERED: CHILLED SPARKLING | FILTERED: CHILLED | FILTERED: BOILING AMBIENT | FILTERED: BOILING |
|-------------------------------------|---------------------------|-----------------------------------|----------------------|---------------------------|----------------------|
| ₩: : | ₩ | * : | * | *** | "" |

POPULAR









HydroTap Classic can be installed over sink or optional font

Classic with Mixer

Featured product HydroTap Classic with Arc Mixer installed over sink in Chrome finish

Designed for situations with only a cold water supply. Perfect for workplace kitchens that require a mixer tap and a Zip HydroTap in the same area as well as hot water to the sink.



Available water options & finishes:




POPULAR









HydroTap Classic can be installed over sink or optional font

Classic All-In-One

Featured product

HydroTap Classic All-In-One installed over sink in Chrome finish

The Classic HydroTap All-In-One offers filtered boiling, chilled and sparkling water, plus unfiltered hot and cold water from a single tap.



Available water options & finishes:

| FILTERED: BOILING CHILLED SPARKLING | UNFILTERED: HOT & COLD | FILTERED: BOILING CHILLED | UNFILTERED: HOT & COLD |
|-------------------------------------|---------------------------|---------------------------|---------------------------|
| ₩: : | | ₩ ₩ | <u> </u> |









HydroTap Classic All-In-One can be installed over sink only

Classic Industrial

Featured product HydroTap Classic Industrial installed on optional font in Chrome finish

For Industrial and Correctional Facilities. Designed with strength and security, the Classic Industrial is proven under the toughest industrial and institutional conditions.




Available water options & finishes:

| ₩ | "" |
|---------------------------------|----------------------|
| FILTERED: BOILING CHILLED | FILTERED: BOILING |

POPULAR





HydroTap Classic Industrial can be installed over sink or optional font


 $High \, strength \, vandal \, resistant \, tapered \, base$

Classic for accessibility

Featured product

HydroTap Classic with accessibility levers installed with optional font in Chrome finish


Classic for accessibility is designed for users with limited mobility or impaired vision.




Oversized colour coded braille tap levers

Available water options & finishes:


| FILTERED: BOILING CHILLED SPARKLING | FILTERED: BOILING CHILLED | FILTERED: CHILLED SPARKLING | FILTERED: CHILLED | FILTERED: BOILING AMBIENT | FILTERED: BOILING |
|-------------------------------------|---------------------------|-----------------------------------|----------------------|---------------------------------|----------------------|
| ₩ ∷ | ₩ * | * : | * | *** | " |







HydroTap Classic with accessibility levers can be installed over sink or optional font





Arc Plus

Featured product

HydroTap Arc Plus installed over sink in Chrome finish

With an elegant curved shape, Zip HydroTap Arc Plus will complement any contemporary office or corporate space – available in boiling, chilled or sparkling water, or all three in any combination.



Available water options & finishes:

| FILTERED: BOILING CHILLED SPARKLING | FILTERED: BOILING CHILLED | FILTERED: CHILLED SPARKLING | FILTERED: CHILLED | FILTERED: BOILING AMBIENT | FILTERED: BOILING |
|-------------------------------------|---------------------------|-----------------------------------|----------------------|---------------------------|----------------------|
| ₩: : | ₩ | ₩ : | * | *** | "" |









PLATINUM







HydroTap Arc Plus can be installed over sink or optional font


Arc Plus with Mixer

Featured product HydroTap Arc Plus installed with Arc Mixer in Chrome finish

Designed for situations with only a cold water supply. Perfect for workplace kitchens that require a mixer tap and a Zip HydroTap in the same area.



Available water options & finishes:



POPULAR











PLATINUM

HydroTap Arc Plus can be installed over sink or optional font



Cube Plus

Featured product

HydroTap Cube Plus installed over sink in Chrome finish

The stylish Zip HydroTap Cube Plus is both a source of inspiration and a source of wellness – available in boiling, chilled or sparkling water, or all three in any combination.



Available water options & finishes:

| FILTERED: BOILING CHILLED SPARKLING | FILTERED: BOILING CHILLED | FILTERED: CHILLED SPARKLING | FILTERED: CHILLED | FILTERED: BOILING AMBIENT | FILTERED: BOILING |
|-------------------------------------|---------------------------|-----------------------------------|----------------------|---------------------------|----------------------|
| ₩:: | ₩ * | *: | * | *** | "" |








PLATINUM









HydroTap Cube Plus can be installed over sink or optional font

Cube Plus with Mixer

Featured product HydroTap Cube Plus installed with Cube Mixer in Matte Black finish

Designed for situations with only a cold water supply. Perfect for workplace kitchens that require a mixer tap and a Zip HydroTap in the same area.



Available water options & finishes:

| FILTERED: BOILING CHILLED SPARKLING | UNFILTERED: HOT & COLD | FILTERED: BOILING CHILLED | UNFILTERED: HOT & COLD | FILTERED: BOILING | FILTERED: HOT & COLD |
|-------------------------------------|---------------------------|---------------------------|---------------------------|----------------------|-------------------------|
| ₩: : | 38 <u>38</u> | | <u></u> | *** | <u></u> |
| 5-1 | n-1 | 4- | -In-1 | 3 | -ln-1 |











PLATINUM





Elite Plus

Featured product

HydroTap Elite Plus installed over sink in Matte Black finish

Form meets function with the sophisticated and innovative Zip HydroTap Elite Plus – available in boiling, chilled or sparkling water, or all three in any combination.



Available water options & finishes:

| FILTERED: BOILING CHILLED SPARKLING | FILTERED: BOILING CHILLED | FILTERED: CHILLED SPARKLING | FILTERED: CHILLED | FILTERED: BOILING AMBIENT | FILTERED: BOILING |
|-------------------------------------|---------------------------|-----------------------------------|----------------------|---------------------------|----------------------|
| | ₩ | *: | * | *** | "" |









PLATINUM










HydroTap Elite Plus can be installed over sink or optional font

Elite Plus with Mixer

Featured product

HydroTap Elite Plus with Arc Mixer installed over sink in Brushed Chrome finish

Designed for situations with only a cold water supply. Perfect for workplace kitchens that require a mixer tap and a Zip HydroTap in the same area.







POPULAR









PLATINUM









Featured productHydroTap Celsius All-In-One installed over sink

in Chrome finish

The ultimate in functionality, the All-In-One Celsius Arc is fitted over your sink and offers all five water types – filtered boiling, chilled and sparkling drinking water, plus unfiltered hot and cold water – from a single tap.



*This product needs a hot and cold water supply

Available water options & finishes:

| FILTERED: BOILING CHILLED SPARKLING | UNFILTERED: HOT & COLD | FILTERED: BOILING CHILLED | UNFILTERED: HOT & COLD | |
|-------------------------------------|---------------------------|---------------------------|---------------------------|--|
| ₩ ₩: | | ₩ | | |





Z 0 1











HydroTap Celsius All-In-One can be installed over sink only

43

Featured product

ZIP HYDROTAP COMMERCIAL

Celsius range

4

Celsius Arc

Featured product

HydroTap Celsius Arc installed over sink in Brushed Rose Gold finish

The Celsius Arc delivers your choice of filtered boiling, or chilled, or chilled and sparkling water, plus unfiltered hot and cold water – from a single tap.



*This product needs a hot and cold water supply

Available water options & finishes:

| FILTERED: CHILLED SPARKLING | UNFILTERED: HOT & COLD | FILTERED: CHILLED | UNFILTERED: HOT & COLD | FILTERED: BOILING | FILTERED: HOT & COLD | |
|-----------------------------------|---------------------------|----------------------|---------------------------|----------------------|-------------------------|--|
| * : | | * | 1 | *** | | |















HydroTap Celsius Arc can be installed over sink only

Micro

Featured product HydroTap Micro installed over sink in Chrome finish

Zip Micro is our smallest system, designed to fit under almost any bench, but still delivers perfectly boiling and chilled water at your fingertips. Zip Micro is perfect for small workplaces with up to 10 people.



Available water options & finishes:


| | "" |
|---------------------------------|----------------------|
| FILTERED: BOILING CHILLED | FILTERED: BOILING |











HydroTap Micro can be installed over sink or optional font

Commercial HydroTap

CLASSIC PLUS



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* HxWxD (mm) |
|-------------|------------|-------|------------------|------------------|---------------------|---------------------|
| | | | | " | * | |
| H55760Z00AU | 20 | | | 100 | 75 | 333 x 339 x 460 |
| H55762Z00AU | 60 | BCS | ₩ :: | 160 | 175 | 333 x 395 x 464 |
| H55763Z00AU | 100 | | ,,,, | 240* | 175 | 333 x 395 x 464 |
| H55702Z00AU | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H55703Z00AU | 40 | ВС | (((*** | 160 | 125 | 333 x 395 x 464 |
| H55704Z00AU | 60 | | BC W | 160 | 175 | 333 x 395 x 464 |
| H55705Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H55708Z00AU | 60 | BA | 444 | 160 | - | 333 x 280 x 313 |
| H55709Z00AU | 100 | ВА | \\\ \ \ \ | 240* | - | 333 x 280 x 313 |
| H55706Z00AU | 60 | | 444 | 160 | - | 333 x 280 x 313 |
| H55707Z00AU | 100 | В | B | 240* | - | 333 x 280 x 313 |
| H55765Z00AU | 100 | CS | * :: | - | 150 | 333 x 280 x 480 |
| H55710Z00AU | 40 | | xtx | - | 125 | 333 x 280 x 476 |
| H55711Z00AU | 100 | С | *** | - | 150 | 333 x 280 x 476 |

CLASSIC PLUS WITH CLASSIC MIXER



| H55675Z00AU | 60 | BCSHA | (((* · · · · · · · · · · · · · · · · · | 160 240* | 175 | 333 x 395 x 464 |
|-------------|-----|-------|---|-------------|-----|-----------------|
| H55676Z00AU | 100 | всзна | /// *** | | 175 | 333 x 395 x 464 |
| H55621Z00AU | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H55622Z00AU | 40 | DCIIA | ₩ N | 160 | 125 | 333 x 395 x 464 |
| H55623Z00AU | 60 | BCHA | W * | | 175 | 333 x 395 x 464 |
| H55624Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |

AVAILABLE IN:



















Order code listed above is for Chrome finish. To select a different finish, replace Z00 with the relevant colour code. For example, HydroTap G5 BCS20 Classic Plus in a Matte Black finish use code H51760Z03AU.















*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to zipwater.com for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation.

Glass size is 200ml and cup size 167ml.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.

Commercial HydroTap

CLASSIC PLUS WITH ARC MIXER



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* HxWxD (mm) |
|-------------|------------|--------|---|------------------|---------------------|---------------------|
| | | | | " | * | |
| H55875Z00AU | 60 | DCCLIA | (((* : 1 | 160 | 175 | 333 x 395 x 464 |
| H55876Z00AU | 100 | BCSHA | ₩ ※ : 0. | 240* | 175 | 333 x 395 x 464 |
| H55821Z00AU | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H55822Z00AU | 40 | DCITA | (\(\\ \\ \\ \\ \ \\ \ \\ \ \ \ \ \ \ | 160 | 125 | 333 x 395 x 464 |
| H55823Z00AU | 60 | BCHA | \\\ | 160 | 175 | 333 x 395 x 464 |
| H55824Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H55856Z00AU | 60 | DITA | ((() | 160 | - | 333 x 280 x 313 |
| H55857Z00AU | 100 | ВНА | 7 7 7 2 01 62 | 240* | - | 333 x 280 x 313 |

CLASSIC PLUS WITH CUBE MIXER



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* HxWxD (mm) |
|-------------|------------|--------|---|------------------|---------------------|---------------------|
| | | | | 111 | * | |
| H55975Z00AU | 60 | DCCIIA | (((xtx :: □ | 160 | 175 | 333 x 395 x 464 |
| H55976Z00AU | 100 | BCSHA | ₩ ※ : 0 | 240* | 175 | 333 x 395 x 464 |
| H55921Z00AU | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H55922Z00AU | 40 | | \ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ | 160 | 125 | 333 x 395 x 464 |
| H55923Z00AU | 60 | BCHA | \\\ \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | 160 | 175 | 333 x 395 x 464 |
| H55924Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H55956Z00AU | 60 | Dilla | BHA SEESS | 160 | - | 333 x 280 x 313 |
| H55957Z00AU | 100 | BHA | | 240* | - | 333 x 280 x 313 |

AVAILABLE IN:











Order code listed above is for Chrome finish. To select a different finish, replace Z00 with the relevant colour code. For example, HydroTap G5 BCSHA60 Classic Plus in a Matte Black finish use code H55875Z03AU.

KEY TO ICONS















*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to zipwater.com for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation.

Glass size is 200ml and cup size 167ml.

TOUCH-FREE WAVE



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* HxWxD(mm) |
|-------------|------------|-------|---------------|------------------|---------------------|--------------------|
| | | | | 111 | * | |
| H5W760Z00AU | 20 | | | 100 | 75 | 333 x 339 x 460 |
| H5W762Z00AU | 60 | BCS | ₩ ∷ | 160 | 175 | 333 x 395 x 464 |
| H5W763Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5W702Z00AU | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H5W703Z00AU | 40 | n.c | 111 44 | 160 | 125 | 333 x 395 x 464 |
| H5W704Z00AU | 60 | BC | BC W | 160 | 175 | 333 x 395 x 464 |
| H5W705Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5W708Z00AU | 60 | BA | \\\ | 160 | - | 333 x 280 x 313 |
| H5W706Z00AU | 60 | | 444 | 160 | - | 333 x 280 x 313 |
| H5W707Z00AU | 100 | В | *** | 240* | - | 333 x 280 x 313 |
| H5W765Z00AU | 100 | CS | *** | - | 150 | 333 x 280 x 480 |
| H5W710Z00AU | 40 | С | xtx | - | 125 | 333 x 280 x 476 |
| H5W711Z00AU | 100 | C | * | - | 150 | 333 x 280 x 476 |

TOUCH-FREE WAVE WITH CLASSIC MIXER



| H5W675Z00AU | 60 | BCSHA | (((\psi \cdots | 160 | 175 | 333 x 395 x 464 |
|-------------|-----|-------|---|------|-----|-----------------|
| H5W676Z00AU | 100 | BCSHA | \\\ \\ | 240* | 175 | 333 x 395 x 464 |
| H5W621Z00AU | 20 | | (((********************************** | 100 | 75 | 333 x 280 x 455 |
| H5W622Z00AU | 40 | DOLLA | | 160 | 125 | 333 x 395 x 464 |
| H5W623Z00AU | 60 | BCHA | | 160 | 175 | 333 x 395 x 464 |
| H5W624Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |

AVAILABLE IN:







Order code listed above is for Chrome finish. To select a different finish, replace Z00 with the relevant colour code. For example, HydroTap G5 BCS20 Touch-Free Wave in a Matte Black finish use code H5W760Z03AU.

KEY TO ICONS













*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to zipwater.com for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation.

Glass size is 200ml and cup size 167ml.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.

Commercial HydroTap

TOUCH-FREE WAVE WITH ACCESSIBLE MIXER



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H×W×D (mm) |
|-------------|------------|-------|---------------|------------------|---------------------|---------------------|
| | | | | 111 | * | |
| H5WD21Z00AU | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H5WD22Z00AU | 40 | DCIIA | (((* n | 160 | 125 | 333 x 395 x 464 |
| H5WD23Z00AU | 60 | BCHA | \\\ | | 175 | 333 x 395 x 464 |
| H5WD24Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |

TOUCH-FREE WAVE WITH ARC MIXER



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H×W×D (mm) |
|-------------|------------|--------|---------------|------------------|---------------------|---------------------|
| | | | | 111 | * | |
| H5W875Z00AU | 60 | DCCLIA | на ዂ 🔆 🗓 | 160 | 175 | 333 x 395 x 464 |
| H5W876Z00AU | 100 | BCSHA | | 240* | 175 | 333 x 395 x 464 |
| H5W821Z00AU | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H5W822Z00AU | 40 | ВСНА | | 160 | 125 | 333 x 395 x 464 |
| H5W823Z00AU | 60 | всна | | 160 | 175 | 333 x 395 x 464 |
| H5W824Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |

TOUCH-FREE WAVE WITH CUBE MIXER



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|-------------|------------|-------|--|------------------|---------------------|-------------------------|
| | | | | " | * | |
| H5W975Z00AU | 60 | BCSHA | (((* : • • • • • • • • • • • • • • • • • • • | 160 | 175 | 333 x 395 x 464 |
| H5W976Z00AU | 100 | всэна | ₩ 🗱 🗓 | 240* | 175 | 333 x 395 x 464 |
| H5W921Z00AU | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H5W922Z00AU | 40 | | (((* * * * * * * * * * * * * * * * * * | 160 | 125 | 333 x 395 x 464 |
| H5W923Z00AU | 60 | BCHA | 111 7 x 30 200 | 160 | 175 | 333 x 395 x 464 |
| H5W924Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |

AVAILABLE IN:





Order code listed above is for Chrome finish. To select a different finish, replace Z00 with the relevant colour code. For example, HydroTap G5 BCHA20 Touch-Free Wave in a Matte Black finish use code H5WD21Z03AU.

KEY TO ICONS















*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to zipwater.com for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation.

Glass size is 200ml and cup size 167ml.



CLASSIC



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* HxWxD(mm) |
|-------------|------------|-------|---------------|------------------|---------------------|--------------------|
| | | | | 111 | * | |
| H51760Z00AU | 20 | | | 100 | 75 | 333 x 339 x 460 |
| H51762Z00AU | 60 | BCS | ₩ ∷ | 160 | 175 | 333 x 395 x 464 |
| H51763Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H51702Z00AU | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H51703Z00AU | 40 | D.C. | ₩ ※ | 160 | 125 | 333 x 395 x 464 |
| H51704Z00AU | 60 | BC | | 160 | 175 | 333 x 395 x 464 |
| H51705Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H51708Z00AU | 60 | 2.4 | 444 | 160 | - | 333 x 280 x 313 |
| H51709Z00AU | 100 | BA | \\\ • | 240* | - | 333 x 280 x 313 |
| H51706Z00AU | 60 | | (((| 160 | - | 333 x 280 x 313 |
| H51707Z00AU | 100 | В | 111 | 240* | - | 333 x 280 x 313 |
| H51765Z00AU | 100 | cs | **** | _ | 150 | 333 x 280 x 480 |
| H51710Z00AU | 40 | | * | _ | 125 | 333 x 280 x 476 |
| H51711Z00AU | 100 | С | | - | 150 | 333 x 280 x 476 |

CLASSIC WITH CLASSIC MIXER



| H51675Z00AU | 60 | BCSHA | ₩ 🗱 🗓 | 160 | 175 | 333 x 395 x 464 |
|-------------|-----|-------|--|------|-----|-----------------|
| H51676Z00AU | 100 | всэна | | 240* | 175 | 333 x 395 x 464 |
| H51621Z00AU | 20 | | \(\(\) \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ | 100 | 75 | 333 x 280 x 455 |
| H51622Z00AU | 40 | | | 160 | 125 | 333 x 395 x 464 |
| H51623Z00AU | 60 | BCHA | | 160 | 175 | 333 x 395 x 464 |
| H51624Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H51656Z00AU | 60 | вна | \\\ | 160 | - | 333 x 280 x 313 |
| H51657Z00AU | 100 | | | 240* | - | 333 x 280 x 313 |

AVAILABLE IN:









Order code listed above is for Chrome finish. To select a different finish, replace Z00 with the relevant colour code. For example, HydroTap G5 BCS20 Classic in a Matte Black finish use code H51760Z03AU.

KEY TO ICONS















*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to zipwater.com for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.

Commercial HydroTap

CLASSIC WITH ARC MIXER



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* HxWxD (mm) |
|-------------|------------|-------|---------------|------------------|---------------------|---------------------|
| | | | | " | * | |
| H51875Z00AU | 60 | 20011 | (((* : 1) | 160 | 175 | 333 x 395 x 464 |
| H51876Z00AU | 100 | BCSHA | /// 🔆 🔐 | 240* | 175 | 333 x 395 x 464 |
| H51821Z00AU | 20 | | ₩ ¥ Ω | 100 | 75 | 333 x 280 x 455 |
| H51822Z00AU | 40 | DCITA | | 160 | 125 | 333 x 395 x 464 |
| H51823Z00AU | 60 | BCHA | | 160 | 175 | 333 x 395 x 464 |
| H51824Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H51856Z00AU | 60 | DUIA | /// | 160 | _ | 333 x 280 x 313 |
| H51857Z00AU | 100 | ВНА | | 240* | - | 333 x 280 x 313 |

CLASSIC WITH CUBE MIXER



| H51975Z00AU | 60 | BCSHA | ₩ ※ : 1 | 160 | 175 | 333 x 395 x 464 |
|-------------|-----|-------|------------------|------|-----|-----------------|
| H51976Z00AU | 100 | всэна | | 240* | 175 | 333 x 395 x 464 |
| H51921Z00AU | 20 | | \\\ | 100 | 75 | 333 x 280 x 455 |
| H51922Z00AU | 40 | DCIIA | | 160 | 125 | 333 x 395 x 464 |
| H51923Z00AU | 60 | BCHA | | 160 | 175 | 333 x 395 x 464 |
| H51924Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H51956Z00AU | 60 | DLIA | \\\ 20000 | 160 | - | 333 x 280 x 313 |
| H51957Z00AU | 100 | BHA | | 240* | - | 333 x 280 x 313 |

CLASSIC ALL-IN-ONE



| H5A775Z00AU | 60 | DCCLIA | (() ** :: O | 160 | 175 | 333 x 395 x 464 |
|-------------|-----|--------|-------------|------|-----|-----------------|
| H5A776Z00AU | 100 | BCSHA | | 240* | 175 | 333 x 395 x 464 |
| H5A722Z00AU | 40 | | (((| 160 | 125 | 333 x 395 x 464 |
| H5A723Z00AU | 60 | ВСНА | | 160 | 175 | 333 x 395 x 464 |
| H5A724Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |

AVAILABLE IN:







Order code listed above is for Chrome finish. To select a different finish, replace Z00 with the relevant colour code. For example, HydroTap G5 BCSHA60 Classic with Arc Mixer in a Matte Black finish use code H51875Z03AU.













*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to zipwater.com for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation.

Glass size is 200ml and cup size 167ml.



CLASSIC INDUSTRIAL SIDE TOUCH**



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* HxWxD (mm) |
|-------------|------------|-------|---------------|------------------|---------------------|---------------------|
| | | | | 111 | * | |
| H5J703Z00AU | 40 | | ₩ 🗱 | 160 | 125 | 333 x 395 x 464 |
| H5J704Z00AU | 60 | ВС | | 160 | 175 | 333 x 395 x 464 |
| H5J705Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |

CLASSIC INDUSTRIAL TOP TOUCH**



| H5I703Z00AU | 40 | | ()(** | 160 | 125 | 333 x 395 x 464 |
|-------------|-----|----|---------------|------|-----|-----------------|
| H5I704Z00AU | 60 | ВС | | 160 | 175 | 333 x 395 x 464 |
| H5I705Z00AU | 100 | | • | 240* | 175 | 333 x 395 x 464 |

MICRO



| M1005AU | 10 | ВС | ₩ ₩ | 90 | 60 | 340 x 180 x 502 |
|---------|----|----|-----|----|----|-----------------|
| M1001AU | 10 | В | (((| 90 | - | 340 x 180 x 270 |

ULTRACARE**









H5D7U1Z00AUC

AVAILABLE IN:





Order code listed above is for Chrome finish.

KEY TO ICONS

















*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to zipwater.com for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation.

Glass size is 200ml and cup size 167ml.

**Industrial & UltraCare products only available in Chrome finish.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.

Commercial HydroTap

ARC PLUS



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H×W×D (mm) |
|-------------|------------|-------|---------------|------------------|---------------------|---------------------|
| | | | | " | * | |
| H5L760Z00AU | 20 | | | 100 | 75 | 333 x 339 x 460 |
| H5L762Z00AU | 60 | BCS | ₩ ∷ | 160 | 175 | 333 x 395 x 464 |
| H5L763Z00AU | 100 | | • | 240* | 175 | 333 x 395 x 464 |
| H5L702Z00AU | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H5L703Z00AU | 40 | ВС | ₩ * | 160 | 125 | 333 x 395 x 464 |
| H5L704Z00AU | 60 | | | 160 | 175 | 333 x 395 x 464 |
| H5L705Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5L708Z00AU | 60 | BA | 444 | 160 | - | 333 x 280 x 313 |
| H5L709Z00AU | 100 | ВА | \\\ \ | 240* | - | 333 x 280 x 313 |
| H5L706Z00AU | 60 | В | (((| 160 | - | 333 x 280 x 313 |
| H5L707Z00AU | 100 | В | 111 | 240* | - | 333 x 280 x 313 |
| H5L765Z00AU | 100 | CS | * : | _ | 150 | 333 x 280 x 480 |
| H5L710Z00AU | 40 | | xtx | _ | 125 | 333 x 280 x 476 |
| H5L711Z00AU | 100 | С | ** | - | 150 | 333 x 280 x 476 |

ARC PLUS WITH ARC MIXER



| H5L875Z00AU | 60 | BCSHA | ₩ ※ : 0. | 160 | 175 | 333 x 395 x 464 |
|-------------|-----|-------|--------------|------|-----|-----------------|
| H5L876Z00AU | 100 | всзпа | | 240* | 175 | 333 x 395 x 464 |
| H5L822Z00AU | 40 | всна | ₩ ₩ ₽ | 160 | 125 | 333 x 395 x 464 |
| H5L823Z00AU | 60 | | | 160 | 175 | 333 x 395 x 464 |
| H5L824Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5L856Z00AU | 60 | ВНА | \\\ | 160 | - | 333 x 280 x 313 |
| H5L857Z00AU | 100 | | | 240* | - | 333 x 280 x 313 |

AVAILABLE IN:



















KEY TO ICONS















*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to zipwater.com for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation.

Glass size is 200ml and cup size 167ml.



CUBE PLUS



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|-------------|------------|-------|----------------|------------------|---------------------|-------------------------|
| | | | | 111 | * | |
| H5C760Z00AU | 20 | | | 100 | 75 | 333 x 339 x 460 |
| H5C762Z00AU | 60 | BCS | ₩ ∷ | 160 | 175 | 333 x 395 x 464 |
| H5C763Z00AU | 100 | | ,,,, | 240* | 175 | 333 x 395 x 464 |
| H5C702Z00AU | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H5C703Z00AU | 40 | nc. | ₩ ※ | 160 | 125 | 333 x 395 x 464 |
| H5C704Z00AU | 60 | BC | | 160 | 175 | 333 x 395 x 464 |
| H5C705Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5C708Z00AU | 60 | | 444 | 160 | - | 333 x 280 x 313 |
| H5C709Z00AU | 100 | BA | \\\ \ \ | 240* | - | 333 x 280 x 313 |
| H5C706Z00AU | 60 | | (((| 160 | - | 333 x 280 x 313 |
| H5C707Z00AU | 100 | В | 111 | 240* | - | 333 x 280 x 313 |
| H5C765Z00AU | 100 | CS | * :: | - | 150 | 333 x 280 x 480 |
| H5C710Z00AU | 40 | | xtx | - | 125 | 333 x 280 x 476 |
| H5C711Z00AU | 100 | С | ** | - | 150 | 333 x 280 x 476 |

CUBE PLUS WITH CUBE MIXER



| H5C975Z00AU | 60 | BCSHA | (((* :: 0 | 160 | 175 | 333 x 395 x 464 |
|-------------|-----|-------|---|------|-----|-----------------|
| H5C976Z00AU | 100 | всзпа | | 240* | 175 | 333 x 395 x 464 |
| H5C922Z00AU | 40 | | /// ** • • • • • • • • • • • • • • • • • • | 160 | 125 | 333 x 395 x 464 |
| H5C923Z00AU | 60 | ВСНА | | 160 | 175 | 333 x 395 x 464 |
| H5C924Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5C956Z00AU | 60 | вна | \\\ | 160 | - | 333 x 280 x 313 |
| H5C957Z00AU | 100 | | | 240* | - | 333 x 280 x 313 |

AVAILABLE IN:



















Order code listed above is for Chrome finish. To select a different finish, replace Z00 with the relevant colour code. For example, HydroTap G5 BCS20 Cube in a Matte Black finish use code H53760Z03AU.

KEY TO ICONS













*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to zipwater.com for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation. Glass size is 200ml and cup size 167ml.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.

Commercial HydroTap

ELITE PLUS



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H×W×D (mm) |
|-------------|------------|-------|---------------|------------------|---------------------|---------------------|
| | | | | " | * | |
| H5E760Z00AU | 20 | | | 100 | 75 | 333 x 339 x 460 |
| H5E762Z00AU | 60 | BCS | ₩ :: | 160 | 175 | 333 x 395 x 464 |
| H5E763Z00AU | 100 | | ,,,, | 240* | 175 | 333 x 395 x 464 |
| H5E702Z00AU | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H5E703Z00AU | 40 | D.C. | . ((()+) | 160 | 125 | 333 x 395 x 464 |
| H5E704Z00AU | 60 | BC | BC W | 160 | 175 | 333 x 395 x 464 |
| H5E705Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5E708Z00AU | 60 | DA | 444 | 160 | - | 333 x 280 x 313 |
| H5E709Z00AU | 100 | BA | BA | 240* | - | 333 x 280 x 313 |
| H5E706Z00AU | 60 | | 444 | 160 | - | 333 x 280 x 313 |
| H5E707Z00AU | 100 | В | *** | 240* | - | 333 x 280 x 313 |
| H5E765Z00AU | 100 | CS | *** | _ | 150 | 333 x 280 x 480 |
| H5E710Z00AU | 40 | С | *** | _ | 125 | 333 x 280 x 476 |
| H5E711Z00AU | 100 | | *** | - | 150 | 333 x 280 x 476 |

ELITE PLUS WITH CLASSIC MIXER



| H5E675Z00AU | 60 | BCSHA | (((** :: : :: :: :: :: :: :: :: :: :: :: : | 160 | 175 | 333 x 395 x 464 |
|-------------|-----|-------|--|------|-----|-----------------|
| H5E676Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5E622Z00AU | 40 | ВСНА | BCHA (((\$\frac{1}{2}\) \$\frac{1}{2}\) \$\frac{1}{2}\) | 160 | 125 | 333 x 395 x 464 |
| H5E623Z00AU | 60 | | | 160 | 175 | 333 x 395 x 464 |
| H5E624Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5E656Z00AU | 60 | ВНА | BHA ((()) | 160 | - | 333 x 280 x 313 |
| H5E657Z00AU | 100 | | | 240* | - | 333 x 280 x 313 |

AVAILABLE IN:















Order code listed above is for Chrome finish. To select a different finish, replace Z00 with the relevant colour code. For example, HydroTap G5 BCS20 Elite Plus in a Matte Black finish use code H5E760Z03AU.

KEY TO ICONS















*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to zipwater.com for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation.

Glass size is 200ml and cup size 167ml.



ELITE PLUS WITH ARC MIXER



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* HxWxD (mm) |
|-------------|------------|-------|---|------------------|---------------------|---------------------|
| | | | | 111 | * | |
| H5E875Z00AU | 60 | BCSHA | W * : 0 | 160 | 175 | 333 x 395 x 464 |
| H5E876Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5E822Z00AU | 40 | всна | BCHA ((() \$\frac{1}{2} | 160 | 125 | 333 x 395 x 464 |
| H5E823Z00AU | 60 | | | 160 | 175 | 333 x 395 x 464 |
| H5E824Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5E856Z00AU | 60 | ВНА | (((A | 160 | - | 333 x 280 x 313 |
| H5E857Z00AU | 100 | | 71/ 35F83 | 240* | - | 333 x 280 x 313 |

ELITE PLUS WITH CUBE MIXER



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* HxWxD (mm) |
|-------------|------------|-------|--|------------------|---------------------|---------------------|
| | | | | 111 | * | |
| H5E975Z00AU | 60 | BCSHA | W * : 1 | 160 | 175 | 333 x 395 x 464 |
| H5E976Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5E922Z00AU | 40 | всна | \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ | 160 | 125 | 333 x 395 x 464 |
| H5E923Z00AU | 60 | | | 160 | 175 | 333 x 395 x 464 |
| H5E924Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5E956Z00AU | 60 | вна | BHA ((()) | 160 | - | 333 x 280 x 313 |
| H5E957Z00AU | 100 | | | 240* | - | 333 x 280 x 313 |

Commercial HydroTap





| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* HxWxD (mm) |
|-------------|------------|-------|-------------------|------------------|---------------------|---------------------|
| | | | | " | * | |
| H57760Z00AU | 20 | BCSHA | ₩ ∷ Ω | 100 | 75 | 333 x 339 x 460 |
| H57762Z00AU | 60 | | | 160 | 175 | 333 x 395 x 464 |
| H57763Z00AU | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H57702Z00AU | 20 | ВСНА | A ((() ** | 100 | 75 | 333 x 280 x 455 |
| H57703Z00AU | 40 | | | 160 | 125 | 333 x 395 x 464 |
| H57704Z00AU | 60 | | | 160 | 175 | 333 x 395 x 464 |
| H57705Z00AU | 100 | | | 240 | 175 | 333 x 395 x 464 |

CELSIUS ARC**



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H×W×D (mm) |
|-------------|------------|-------|---------------|------------------|---------------------|---------------------|
| | | | | 111 | * | |
| H58706Z00AU | 60 | В | - 444 | 160 | - | 333 x 280 x 313 |
| H58707Z00AU | 100 | | 111 | 240* | - | 333 x 280 x 313 |
| H58765Z00AU | 100 | CS | ** | - | 150 | 333 x 280 x 480 |
| H58711Z00AU | 100 | С | * | - | 150 | 333 x 280 x 476 |

^{**}Celsius products require a hot and cold water supply

AVAILABLE IN:




















KEY TO ICONS















*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to zipwater.com for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation. Glass size is 200ml and cup size 167ml.

AVAILABLE IN:





















KEY TO ICONS
















*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to zipwater.com for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation.


Glass size is 200ml and cup size 167ml.

Zip

Technical information



Technical information




For full installation details please refer to the installation instructions which can be found at zipwater.com Be sure to allow additional space required if installing a sparkling model with CO₂ cylinder.



Image shows BC40 command centre installed with vent tray

59 60

Accessories







POPULAR







93441Z00

Zip stand alone font Chrome

Suits current model HydroTap Arc Plus or Cube Plus. Does not include extension

Available in 7 colour finish options



POPULAR









PLATINUM





95258Z00

Zip font raised Chrome

Suits current model Zip HydroTap

Classic, Classic Plus, Touch-Free Wave,

Miniboil Classic and Elite Plus



91564

Zip BCS accessibility lever

Available in various configurations to suit your needs. Compatible with HydroTap Classic only



91560

Zip BC accessibility lever

Installation accessories



91412

Zip HydroTap boiling water boost upgrade kit

> Suits current Zip HydroTap with boiling water



91394

Zip 1.5m silicone tube replacement kit

Suits current commercial Zip HydroTap Classic excluding sparkling models



93156

Zip dual exhaust fan

Suits any current commercial Zip HydroTap with chilled water

Consumables (filters & CO₂)



93702

Zip 0.2 micron commercial filter

Suits any current model Zip HydroTap



Zip 3 micron commercial filter

> Suits any current model Zip HydroTap (for water with high sediment levels)

93703



93706

Zip 0.2 micron non-carbon commercial filter

Suits any current model Zip HydroTap (Non-carbon filter do not remove chlorine)



93179

Zip sparkling 2.6kg refillable cylinder

Suits any current commercial sparkling model Zip HydroTap



93179-R

Zip sparkling 2.6kg replacement cylinder

Available exclusively through the Zip HydroCare CO₂ exchange program



| NOTES | |
|-------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Australia

Zip Water 1800 947 827 zipwater.com











Copyright 2023. Zip reserves the right to change product specifications without notice. The term "Zip" is a trade mark of Zip Heaters (Aust) Pty Ltd. As Zip's policy is one of continuous product improvement, changes to specifications may be made without prior notice. Products may not be exactly as depicted.



1800 947 827

zipwater.com